

B

INDEX MAPS.

T. 2N, R. 3E. 2nd Mer.

	126	126-127	126-127	126-127	125-127	125-127						
129	6	149	5	144	4	140	3	137	2	133	1	125
	149	149	144	140	136	133						
129	7	148	8	144	9	140	10	136	11	132	12	124
	148	148	143	139	136	132						
129	18	148	17	143	16	139	15	135	14	132	13	124
	147	147	143	139	135	131						
128	19	146	20	142	21	138	22	135	23	131	24	124
	146	146	142	138	134	131						
128	30	145	29	141	28	138	27	134	26	130	25	123
	145	145	141	137	134	130						
128	31	144	32	141	33	137	34	133	35	130	36	123
	121-122	121-122	121-122	121-122	121-122	121-122						

T. 3N, R. 3E. 2nd Mer.

	156		156		156-157		155-157		155-157		155-157		155-157
159	6	180	5	174	4	170	3	167	2	163	1	153	
	179		179		174		170		166		162		
159	7	179	8	173	9	170	10	166	11	162	12	154	
	178		178		173		169		166		162		
158	18	178	17	173	16	169	15	165	14	161	13	154	
	177		177		172		169		165		161		
158	19	170	20	172	21	168	22	165	23	161	24	153	
	176		176		172		168		164		160		
158	30	175	29	171	28	168	27	164	26	160	25	153	
	175		175		171		167		163		160		
157	31	175	32	171	33	167	34	163	35	159	36	153	
	151-152		151-152		151-152		151-152		151-153		151-153		

The figures on the lines refer to the page.

Township N.º 2 North, Range N.º 3 East 2.ª Mer. Indiana

South Boundary

West On Rand. S. boundary of Sec. 36, T. 2 N. R. 3 E.

40.00 Set temp. 1/2 mile post

80.00 Set temp. mile post. Good farming land
timber Oak, Walnut, Hickory, Poplar, Gum, ash
under brush Spice wood, Hickory, Sassafras

West On Rand. S. boundary of Sec. 35, T. 2 N. R. 3 E.

40.00 Set temp. 1/2 mile post

80.00 Set temp. mile post

Land timber &c. same as on last mile

West On Rand. S. boundary of Sec. 34, T. 2 N. R. 3 E.

31.00 a Brook 7 ft. wide E. S.

35.50 a do 10 ft. " " S

40.00 Set temp. 1/2 mile post

75.00 to a prairie thin Soil

80.00 Set temp. mile post. (description omitted)

West On Rand. S. boundary of Sec. 33, T. 2 N. R. 3 E.

40.00 Set temp. 1/2 mile post

55.00 to W. side of the prairie

80.00 Set temp. mile post. This post stands
on good farming oak timbered land

West On Rand. S. boundary of Sec. 32, T. 2 N. R. 3 E.

25.00 a Brushy prairie

40.00 Set temp. 1/2 mile post

80.00 Set temp. mile post. on the West side
of the prairie.

West On Rand. S. boundary of Sec. 31, T. 2 N. R. 3 E.

40.00 Set temp. 1/2 mile post.

T2 N. R3 E. 2nd Mer. Indiana

77.50 Intersected the N & S. line 545 lks. N. of the
Town Corner. Good land

East On true line S. boundary of Sec. 31, T2 N. R3 E

37.50 Set the q. Sec. post on true line, from which
a W. Oak 10 in. dia. bray N 8 W 11 lks. dist. of
a Do 5 " " " S 29 W 10 " "

77.50 Set a post Cor. to Sec. 31 & 32, from which
a W. Oak 6 in. dia. bray S 54 E 45 lks. dist. of
no other near

East On true line S. boundary of Sec. 32, T2 N. R3 E.

40.00 Set the q. Sec. post on true line from which
a Hickory 10 in. dia. bray S 72 W 6 lks. dist.

80.00 Set a post Cor. to Sec. 32 & 33, from which
a Hickory 8 in. dia. bray N 51 E 23 lks. dist.
no other near.

East On true line S. boundary of Sec. 33, T2 N. R3 E.

40.00 Set the q. Sec. post on true line
no timber near.

80.00 Set a post Cor. to Sec. 33 & 34, from which
a W. Oak 15 in. dia. bray S 29 E. 33 lks. dist. of
a Do 20 " " " S 76 W 57 " "

East On true line S. boundary of Sec. 34, T2 N. R3 E.

40.00 Set the q. Sec. post on true line, from which
a Locust 10 in. dia. bray N 11 E 21 lks. dist. of
an Ironw. 6 " " " S 15 W 10 " "

80.00 Set a post Cor. to Sec. 34 & 35, from which
a Gum 29 in. dia. bray S 75 E 15 lks. dist. of
a Hickory. 6 " " " S 15 W 10 " "

T2N R3E.2^d. Mer. Indiana

East On true line S. boundary of Sec. 35, T2N R3E.
 40.00 At the q. Sec. post on true line from which
 a W. Oak 6 in. dia. bran N27 W 14 lks. dist. of
 a W. Ash 10 " " " S27 E 6 1/2 " "
 80.00 At a post Cor. to Sec. 35 & 36, from which
 a Hickory 10 in. dia. bran N28 W 14 lks. dist. of
 a Dogwood 6 " " " S39 W 16 " "

East On S. boundary of Sec. 36, T2N R3E.
 40.00 At the q. Sec. post on true line, from which
 a Dogwood 6 in. dia. bran S79 W 11 lks. dist. of
 a Hickory 12 " " " S65 E 6 " "
 80.00 to Town Corner. September 20th 1806.

East Boundary

North On E. boundary of Sec. 36, T2N R3E.
 35.50 a Poplar 30 in. dia.
 40.00 At the q. Sec. post, from which
 a Hickory 10 in. dia. bran N53 E 4 lks. dist. of
 a Dogwood 6 " " " N83 W 19 " "
 67.00 a Beech 24 " "
 80.00 At a post Cor. to Sec. 25 & 36, from which
 a Beech 10 in. dia. bran N70 E 19 lks. dist. of
 a Red bud 5 " " " S58 W 11 " "
 This mile over good farming land, timber
 Sugar, Beech & undug^d. Spice

North On E. boundary of Sec. 25, T2N R3E.
 1.00 a Creek 150 yds. wide Cr. East
 15.00 Same Creek Course S. W.
 40.00 At the q. Sec. post, from which
 a Beech 10 in. dia. bran S3 E 4 1/2 lks. dist. of
 a B. Oak 40 " " " N60 E 14 " "

T². N. R³ E. 2^d. Mer. Indiana

41.90 a Gum 12 in. dia.

79.50 a Beech 20 " "

80.00 Set a post Cor. to Sec. 24 & 25, from which
a Hackberry 15 in. dia. bray S 15 E 11 lks. dist. of
a Sugar 8 " " " N 3 E 14 " "
Land timber &c. same as on the last mile

North On the E. boundary of Sec. 24, T². N. R³ E.

40.00 Set the q. Sec. post, from which
a B. Oak 29 in. dia. bray S 6 E 27 lks. dist. of
a W. Oak 12 " " " N 43 W 15 " "

56.00 a Brook 10 lks. wide Course East.

79.50 a B. Oak 20 in. dia.

80.00 Set a post Cor. to Sec. 13 & 24, from which
a W. Oak 24 in. dia. bray S 15 E 6 lks. dist. of
a Beech 10 " " " N 15 W 6 " "
Land the same but very brushy Spice &c

North On E. boundary of Sec. 13, T². N. R³ E.

11.50 a Brook 12 lks. wide Course E.

36.75 a Sugar tree 18 in. dia.

40.00 Set a post Cor. to q. Sec. from which
a Hickory 10 in. dia. bray S 84 W 13 lks. dist. of
a Beech 20 " " " S 24 E 32 " "

62.00 a Beech 20 " "

80.00 Set a post Cor. to Sec. 12 & 13, from which
a Sugar 5 in. dia. bray S 9 E 19 lks. dist. of
a Beech 24 " " " N 2 W 20 " "
Land timber &c. of the same quality.

North On E. boundary of Sec. 12, T². N. R³ E.

00.25 a Beech 24 in. dia.

24.00 a Brook 15 lks. wide C. S. N.

T2 N. R3 E, 2nd Mer. Indiana

- 40.00 Let the q. Sec. post, from which
 a Buckeye 10 in. dia. beam N 10 W 13 lks. dist. of
 an Elm 10 " " " N 18 E 23 " "
- 75.00 a W. Oak 20 " "
- 80.00 Let a post Cor. to Sec. 1 of 12, from which
 a W. Oak 15 in. dia. beam N 56 E 6 lks. dist. of
 a W. Walnut 12 " " " S 56 W 10 " "
- Sand timber &c. same as on the last mile

North On E. boundary of Sec. 1, T2 N. R3 E.

- 21.00 a Brook 10 lks. wide Course E.
- 40.00 Let the q. Sec. post, from which
 a Beech 30 in. dia. beam N 66 E 60 lks. dist. of
 a Do 24 " " " N 77 W 21 " "
- 71.13 Hickory 18 " "
- 80.00 Let a post Cor. to Township N^o 2 of 3 North
 Range, N^o 3 of 4 E, from which
 a B. Oak 29 in. dia. beam S 23 E 14 lks. dist. of
 a W. Oak 20 " " " N 63 W 14 " "
- Sand timber &c. of the same quality.

North Boundary

- West On Rand^m S. boundary of Sec. 36, T3 N. R3 E.
- 40.00 Let temp. 1/2 mile post
- 80.00 Let temp. mile post
- Good W. Oak, timbered land

West On Rand^m S. boundary of Sec. 35, T3 N. R3 E.

- 13.00 a Brook 10 lks. wide Ct. N. E.
- 29.50 a Do 10 " " " N. E.
- 40.00 Let temp. 1/2 mile post
- 80.00 Let temp. mile post
- Over very bushy Oak timbered Soil

T3N R3E 2nd Mer. Indiana

West On Rand^m. S. boundary 34, T3N. R3E.

40.00 Set temp^y. 1/2 mile post

70.00 to brushy thin soil, thinly timbered

80.00 Set temp^y. mile post.

West On Rand^m. S. boundary of Sec. 33, T3N. R3E.

30.00 West side of the brushy thicket

40.00 Set temp^y. 1/2 mile post

80.00 Set temp^y. mile post

Sand thin Oak timber

West On Rand^m. S. boundary of Sec. 32, T3N. R3E.

36.50 at Brook 10 lks. wide Cr. North

40.00 Set temp^y. 1/2 mile post

58.00 at Brook 15 lks. wide Cr. North

80.00 Set temp^y. mile post

Sand, timber &c. same as on the last mile

West On Rand^m. S. boundary of Sec. 31, T3N. R3E.

25.00 at Brook 10 lks. wide Cr. North

40.00 Set temp^y. 1/2 mile post

80.00 Intersected the N & S. line 2 chains North
of the Town Corner, thin Oak timbered
Soil, underbrush Dogwood &c.

September 21st 1806.

East On true line S. boundary of Sec. 31, T3N. R3E.

40.00 Set the q. Sec. post. on true line, from which
a W. Oak 10 in. dia. bray N 22 W 12 lks. dist. &
a Gum 6 " " " T33 E 5 " "

80.00 Set the post cor. to Sec. 31 & 32, T3N. R3E, from which
a W. Oak 30 in. dia. bray T36 W 12 lks. dist. &
a Gum 8 " " " T36 E 44 " "

T3N. R3E. 2^d. Mer. Indiana

East On true line S. boundary of Sec. 32, T3N. R3E.

40.00 Set the q. Sec. post on true line, from which
a Poplar 29 in. dia. bears N 47° 15' E 15 lks. dist. of
a do 8 " " " N 27° 10' E 10 " "

80.00 Set a post Cor. to Secs. 32 & 33, T3N. R3E, from which
a Hickory 10 in. dia. bears N 27° 22' E 10 lks. dist. of
a do 10 " " " N 80° 11' 34 " "

East On true line S. boundary of Sec. 33, T3N. R3E.

40.00 Set the q. Sec. post on true line, from which
a Poplar 10 in. dia. bears S 36° 11' 4 lks. dist. of
a Dogw. 6 " " " N 12° 11' 26 " "

80.00 Set a post Cor. to Secs. 33 & 34, T3N. R3E, from which
a Dogwood 8 in. dia. bears S 16° 8' 27 lks. dist. of
a W. Oak 40 " " " N 54° 11' 69 " "

East On true line S. boundary of Sec. 34, T3N. R3E.

40.00 Set q. Sec. post on true line, from which
a Hickory 6 in. dia. bears N 26° 11' 6 lks. dist. of
a W. Oak 30 " " " S 77° 6' 34 " "

80.00 Set a post Cor. to Secs. 34 & 35, T3N. R3E, from which
a W. Oak 15 in. dia. bears S 41° 6' 34 lks. dist. of
a W. Oak 40 " " " N 58° 11' 64 " "

East On true line S. boundary of Sec. 35, T3N. R3E.

40.00 Set the q. Sec. post on true line, from which
a W. Oak 20 in. dia. bears N 78° 11' 16 lks. dist. of
a Dogw. 6 " " " S 16° 11' 16 " "

80.00 Set a post Cor. to Secs. 35 & 36, T3N. R3E, from which
a W. Oak 10 in. dia. bears S 51° 11' 15 lks. dist. of
a Gum 8 " " " N 84° 11' 20 " "

East On true line S. boundary of Sec. 36, T3N. R3E.

T2N R3E.2^d Mer. Indiana

40.00 Let q. Sec. post on true line from which
 a B. Oak 30 in. dia. bear S55 E 18 lks. dist. of
 a Hickory 8 " " " N59 E 16 " "
 80.00 to Lower Corner

West Boundary

North On E. boundary of Sec. 36, T2N. R2E.

40.00 Let the q. Sec. post from which
 a Maple 12 in. dia. bear S25 W 21 lks. dist. of
 a Do 15 " " " N35 E 14 " "

40.90 a W. Ash 15 " "

80.00 Let a post cor. to Sec. 25 & 36, T2N. R2E, from which
 a Poplar 8 in. dia. bear S73 E 4 lks. dist. of
 a B. Oak 5 " " " N1 E 23 " "
 The last 1/4 mile over flat wet land.

North On E. boundary of Sec. 25, T2N. R2E.

25.00 a Brook 10 lks. wide Cr. W.

40.00 Let the q. Sec. post. from which
 a B. Oak 10 in. dia. bear S39 E 8 lks. dist. of
 a Do 10 " " " N52 W 20 " "

80.00 Let a post Cor. to Sec. 24 & 25, T2N. R2E, from which
 a Hickory 10 in. dia. bear N27 W 25 lks. dist. of
 Land level & brushy timber Oak.

North On E. boundary of Sec. 24, T2N. R2E.

3.75 a B. Oak 17 in. dia.

32.25 a Brook 6 lks. wide Cr. W.

40.00 Let the q. Sec. post, from which
 a Hickory 10 in. dia. bear N28 E 10 lks. dist. of
 a Do 8 " " " S31 E 19 1/2 " "

80.00 Let a post Cor. to Sec. 13 & 24, T2N. R2E, from which
 a W. Oak 20 in. dia. bear S45 E 12 lks. dist. of

T2 N. R3 E. 2^d. Mer. Indiana

a Dogwood 6 in. dia. bears N 38 W 16 lbs. dist.
 This last 1/2 mile is over thin brushy land
 underbrush Dogwood &c. as above.

North On E. boundary of Sec. 13, T2 N. R2 E.

21.50 a Post 10 lbs. wide Cor. M.

40.00 Set the q. Sec. post from which
 a W. Oak 10 in. dia. bears S 54 E 8 lbs. dist. of
 a Do 12 " " " N 75 W 5 " "

52.65 a W. Oak 10 " "

80.00 Set a post Cor. to Sec. 12 & 13, T2 N. R2 E. from which
 a W. Oak 12 in. dia. bears S 81 E 12 lbs. dist. of
 a Do 16 " " " N 31 W 6 " "
 Level W. Oak timbered Soil

North On E. boundary of Sec. 12, T2 N. R2 E.

40.00 Set the q. Sec. post from which
 a W. Oak 12 in. dia. bears S 36 E 36 lbs. dist. of
 a Do 12 " " " N 10 W 9 " "

80.00 Set a post Cor. to Sec. 11 & 12, T2 N. R2 E. from which
 a Dogwood 4 in. dia. bears S 17 E 9 lbs. dist. of
 a Elm 4 " " " N 52 W 3 1/2 " "
 Land the same quality

North On E. boundary of Sec. 1, T2 N. R2 E.

23.10 a Poplar 20 in. dia.

40.00 Set the q. Sec. post from which
 a Hickory 8 in. dia. bears S 9 E 14 lbs. dist. of
 a Do 12 " " " N 66 W 22 " "

80.00 Set a post Cor. of Township N. 24 3 North Range N.
 24 3 East from which
 a B. Oak 10 in. dia. bears S 23 E 15 lbs. dist. of
 a Do 16 " " " N 75 E 27 " "

T2N R3E 2nd Mer. Indiana

This mile over Level Oak Timbered Land
undergrowth dogwood & Sassafras
Surveyed in 1806 by Arthur Henric, R.S.

Subdivision. April 21st 1807

North between Secs. 35 & 36, T2N. R3E.

- 40 . 00 Set the q. Sec. post from which
a W. Oak 6 in. dia. bears S 45 E 33 lks. dist &
a B. Gum 12 " " " S 79 W 15 " "
- 80 . 00 Set post Cor. to Secs. 25, 26, 35 & 36, from which
a Hickory 12 in. dia. bears S 4 E 24 lks. dist &
a dogwood 5 " " " N 15 W 15 " "
Land broken with sink holes timber Oak
Hickory & poplar poor farming land

East On Random between Secs. 25 & 36, T2N. R. 3 E

- 40 . 00 Set temp. q. Sec. post
61 . 50 a Creek 100 lks. wide Course S. E.
75 . 00 a Do 100 " " " N. E
77 . 27 Intersected N. & S. line 19 links N. of post
Land middling level timber same middling
farming land

West On true line between Secs. 25 & 36, T2N. R. 3 E

- 38 . 63 Set q. Sec. post at average dist. from which
a W. Oak 12 in. dia. bears N 60 E 10 lks. dist &
a Do 10 " " " S 46 W 19 " "
77 . 37 to Sec. Corner

North Between Secs. 25 & 26, T2N. R. 3 E

- 33 . 50 a R. Oak 18 in. dia.
40 . 00 Set q. Sec. post from which
a W. Oak 14 in. dia. bears S 20 E 12 lks. dist &

S. N. R. 3 E. 2nd Mer. Indiana

a Hickory 12 in. dia^r. bears N 34 W 25 lks. dist
 40.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which
 a W. Oak 24 in. dia^r. bears S 47 E 9 lks dist &
 a dogwood 6 " " " N 71 W 29 " "
 Land broken with sink holes timber same
 poor farming land

East On Random Between Sec. 24 & 25 S. 2 N. R. 3 E
 40.00 Set temp^y q^r. Sec. post
 79.05 Intersected N. & S. line 43 lks. N. of the post
 Land middling level timber same middling
 farming land

West On true line Between Sec. 24 & 25 S. 2 N. R. 3 E
 39.52 Set q^r. Sec. post ~~at average dist.~~ from which
 a Poplar 24 in. dia^r. bears N 48 W 11 lks. dist &
 a Beech 15 " " " S 64 E 68 " "
 79.05 to Sec. Corner

North Between Sec. 23 & 24 S. 2 N. R. 3 E
 40.00 Set q^r. Sec. post from which
 a B. Gum 12 in. dia^r. bears S 13 W 25 lks. dist &
 a W. Oak 20 " " " N 16 E 35 " "
 80.00 Set post Corner to Sec. 13, 14, 23, 24 from which
 a W Oak 13 in. dia^r. bears S 42 E 39 lks dist &
 a L^o 15 " " " N 38 W 20 " "
 Land broken timber same poor farming Land

East On Random between Sec. 13 & 24 S. 2 N. R. 3 E
 40.00 Set the ^{temp^y} q^r. Sec. post
 80.00 Intersected the N. & S. line 100 links N. of post
 Land and timber same

S. N. R. 3 E. 2nd Mer. Indiana

West On true line betwⁿ Sec^s. 13 & 24 S. 2 N. R. 3 E.
 40. 00 Set q^r. Sec. post at average dist. from which
 a W. Beech 8 in. dia^r. bears S 69 E 35 lks. dist &
 a Hickory 14 " " " N 65 W 20 " "
 80. 00 to Sec. Corner

North Between Sec^s. 13 & 14 S. 2 N. R. 3 E.
 40. 00 Set the q^r. Sec. post from which
 a B. Oak 14 in. dia^r. bears N 82 E 33 lks. dist &
 a B. Oak 30 " " " S 57 W 26 " "
 80. 00 Set a post Corner to Sec^s. 11, 12, 13 & 14 from which
 a B. Gum 12 in. dia^r. bears South 27 lks dist &
 a Hickory 12 " " " N 51 W 23 " "
 Land middling level timber Oak & Hickory
 middling farming land

East On Random Between Sec^s. 12, 15 S. 2 N. R. 3 E.
 5. 00 a large Spring
 7. 00 a Brook 15 lks. wide S. E.
 11. 50 a Small Brook Course S.
 40. 00 Set temp^y. q^r. Sec. post
 70. 50 a Creek 30 links wide Course South
 80. 88 Intersected N & S. line 1.02 links North of post
 Land rolling Timber Beech Sugar Oak Hickory &c
 very brushy middling good farming land

West On true line Between Sec^s. 12 & 13 S. 2 N. R. 3 E.
 40. 44 Set q^r. Sec. post at average dist. from which
 a W. Ash 12 in. dia^r. bears N. 3 W 36 lks. dist &
 a Elm 14 " " " S 17 E 16 " "
 80. 88 to Sec. Corner.

North Between Sec^s. 11 & 12 S. 2 N. R. 3 E.

Twp. R3E, T. Mer. Indiana

- 11.50 a Brook 15 link wide Course S. E.
 40.00 Set the q. Sec. post from which
 a Elm 14 in. dia. bears S 7 E 50 lks. dist. 7
 a W. Oak 10 " " " N 13 E 49 " "
 80.00 Set post Cor. to Sec. 1. 2 & 11. 12 from which
 a W. Oak 20 in. dia. bears N 19 W 17 lks. dist. 8
 a Do 30 " " " N 8 E 61 " "
 Land & growing timber Same Middling farming
 land

- East On Rand. between Sec. 1 & 12, T. 2 N. R3E.
 40.00 Set temp. q. Sec. post
 80.10 Intersected the N. S. line 239 lks. N. of post
 Land & timber Same, middling good farming land

- West On true line between Sec. 1 & 12, T. 2 N. R3E.
 40.00 Set the q. Sec. post at average dist. from, which
 a W. Oak 34 in. dia. bears N 4 W 61 lks. dist. 8
 a Hickory 15 " " " S 13 W 30 " "
 80.10 to Sec. Corner.

- North Between Sec. 1 & 2, T. 2 N. R3E.
 40.00 Set the q. Sec. post, from which
 a P. Oak 20 in. dia. bears S 10 E 45 lks. dist. 8
 a Do 20 " " " N 52 E 61 " "
 75.27 Intersected the N. boundary 161 lks. dist. N. of post
 Set a post Cor. to Sec. 1 & 2, from which
 a W. Oak 16 in. dia. supplies the place of a post
 Land & timber &c. Same as on the last mile

April 22nd 1807.

- North Between Sec. 34 & 35, T. 2 N. R3E.
 40.00 Set the q. Sec. post, from which

T2 N. R3 E. 2^d Mer. Indiana

a W. Oak 12 mi. dist. bear N 76 E 29 lbs. dist. of
 a Do 10 " " " S 47 W 6 " "
 80.00 Set a post Cor. to Sect. 26, 27, 34 & 35, from which
 a W. Oak 20 mi. dist. bear S 37 W 10 lbs. dist. of
 a W. Oak 24 " " " N 79 E 38 " "
 Land rolling, timber Oak & Hickory, undg.
 Dogwood & some Spice, middling good farming land.

East On Rand. between Sect. 26 & 35, T2 N. R3 E.
 40.00 Set temp. q. Sec. post.
 79.37 Intersected the N & S. line 142 lbs. S. of post
 Land timber &c. same as on the last mile

West On true line between Sect. 26 & 35, T2 N. R3 E.
 39.68 Set q. Sec. post at average dist. from which
 a W. Oak 14 mi. dist. bear N 46 W 16 lbs. dist. of
 a Do 10 " " " S 48 W 45 " "
 79.37 to Sec. Corner

North Between Sect. 26 & 27, T2 N. R3 E.
 40.00 Set the q. Sec. post, from which
 a W. Oak 27 mi. dist. bear N 18 E 16 lbs. dist. of
 a Dogw? 6 " " " S 27 W 22 " "
 80.00 Set a post Cor. to Sect. 22, 23, 26 & 27, from which
 a Hickory 11 mi. dist. bear S 20 E 9 lbs. dist. of
 a Do 13 " " " S 40 W 27 " "
 Land broken, timber same, poor farming land

East On Rand. between Sect. 23 & 26, T2 N. R3 E.
 40.00 Set temp. q. Sec. post
 78.11 Intersected the N & S. line 29 lbs. N. of the post
 Land rolling, timber same, middling farming land

Twp. R3 E. T. Mer. Indiana

West On true line between Sec. 25 & 26, Twp. R3 E.
 39.05 let g. Sec. post at average dist. from which
 a W. Oak 30 in. dia. bear S 35 E 25 lks. dist. of
 a do 9 " " " N 20 W 37 " "
 78.11 to Sec. Corner.

North Between Sec. 22 & 23, Twp. R3 E.
 40.00 let the g. Sec. post, from which
 a W. Oak 30 in. dia. bear S 30 E 56 lks. dist. of
 a Hickory 14 " " " N 12 W 28 " "
 80.00 let a post Cor. to Sec. 14, 15, 22 & 23, from which
 a W. Oak 18 in. dia. bear N 46 E 27 lks. dist. of
 a do 27 " " " S 53 W 40 " "
 Land, timber &c. same as on the last mile

East On Rand. between Sec. 14 & 23, Twp. R3 E
 40.00 let temp. g. Sec. post
 78.25 intersected the N & S. line 18 lks. S. of the post
 Land timber &c. same as on the last mile

West On true line between Sec. 14 & 23, Twp. R3 E.
 39.12 1/2 let g. Sec. post, at average dist. from which
 a W. Oak 15 in. dia. bear N 32 E 18 lks. dist. of
 a Dogwood 6 " " " N 10 W 33 " "
 78.25 to Sec. Corner

North Between Sec. 14 & 15, Twp. R3 E.
 40.00 let the g. Sec. post, from which
 a Poplar 11 in. dia. bear S 7 E 32 lks. dist. of
 a do 10 " " " N 6 W 20 " "
 80.00 let a post Cor. to Sec. 10, 11, 14 & 15, from which
 a W. Oak 15 in. dia. bear N 64 E 23 lks. dist. of
 a B. Oak 18 " " " S 81 W 24 " "

Lot R3 E. 2nd Mer. Indiana

Land Middling level, timber Same Middling
good farming land.

East On Random between Sec. 10 & 11, T2 N. R3 E.

40.00 Set temp. q. Sec. post

78.91 Intersected the N & S. line 64 lks. S. of the post
1st half (mile) the same - last half brushy & poor

West On true line between Sec. 10 & 11, T2 N. R3 E.

39.45 Set q. Sec. post at average dist. from which
a P. Oak 10 in. dia. bray S76 E 37 lks. dist. of
a Poplar 9 " " " S62 W 47 " "

78.91 to Sec. Corner.

North Between Sec. 10 & 11, T2 N. R3 E. 2nd Mer

40.00 Set the q. Sec. post, from which

a P. Oak 20 in. dia. bray S15 E 27 lks. dist. of
a Hickory 24 " " " N38 E 13 " "

80.00 Set a post cor. to Sec. 2, 3, 10 & 11, from which

a P. Oak 30 in. dia. bray S85 E 56 lks. dist. of
a Do 30 " " " N79 W 16 " "

Land and timber same Middling good farming land

East On Random between Sec. 2 & 11, T2 N. R3 E.

40.00 Set temp. q. Sec. post

51.50 a small brook crossed S. E.

78.41 Intersected the N & S. line 70 lks. N. of post

Land timber &c. same as on the last mile

West On true line between Sec. 2 & 11, T2 N. R3 E.

39.20 Set q. Sec. post at average dist. from which

a Hickory 10 in. dia. bray N12 E 14 lks. dist. of
a Do 7 " " " S22 W 31 " "

T2N R3E, 2^d Mer. Indiana

137

78.41 to Section Corner

North Between Secs. 2 & 3, T2N. R3E.

40.00 Set the q. Sec. post, from which

a N. Oak 14 in. dia. bear N 67° W 32 lks. dist. of

a Do 30 " " " S 88° E 47 " "

74.38 Intersected the N. boundary 194 lks. N. of post

Set a post Cor. to Sec. 2 & 3, from which

a N. Oak 9 in. dia. bear North 43 lks. dist. of

a Poplar 15 " " " S 52° E 105 " "

Land broken with sink holes, poor farming land

April 23^d. 1807.

North Between Secs. 33 & 34, T2N. R3E.

35.00 a Brook 15 lks. wide Cr. East

40.00 Set the q. Sec. post from which

a N. Oak 14 in. dia. bear S 33° E 3 lks. dist. of

a Do 13 " " " N 8° E 46 " "

80.00 Set a post Cor. to Secs. 27, 28, 33 & 34 from which

a N. Oak 12 in. dia. bear S 25° E 30 lks. dist. of

a Do 9 " " " N 24° W 23 " "

The first half mile Open Barren 3^d rate -

the last half rolling land, timber Oak & Hickory

and middling good farming land.

East On Land^m between Secs. 27 & 34, T2N. R3E.

40.00 Set temp. q. Sec. post

52.00 a Creek 60 lks. wide Cr. Course South

81.14 Intersected the N & S. line 92 lks. S. of the post.

The 1st 1/2 mile rolling, timber, timber same

Middling good farming land, the last very

rich soil, timber Oak, Walnut, ash & thick Spice

and gth good farming land.

Lot N. 123 E. 2nd Mer. Indiana

West On true line between Sec. 27 & 34, 2nd N. 123 E.
 40.57 Set of Sec. post, from which
 a W. Walnut 14 mi. dist. bear N 75° W 43 lbs. dist. of
 a do 14 " " " N 58 E 47 " "
 81.14 to Sec. Corner.

North Between Sec. 27 & 28, 2nd N. 123 E.
 40.00 Set the of Sec. post, from which
 a W. Oak 7 mi. dist. bear S 89 E 11 lbs. dist. of
 a R. Gum 15 " " " S 81 W 57 " "
 44.00 at Brook 15 lbs. wide Cr. East
 71.50 a do 10 " " " S. E.
 80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
 a W. Oak 20 mi. dist. bear S 31 E 14 lbs. dist. of
 a do 15 " " " N 80 W 30 " "
 Land rolling, timber same, middling good land

East On Random between Sec. 22 & 27, 2nd N. 123 E.
 40.00 Set temp. of Sec. post
 50.50 a creek 30 lbs. wide Cr. South
 81.68 Intersected the N of S. line 95 lbs. S. of post
 The 1st 1/2 mile, the same; the last 1/2 low bottom
 rich and good farming land.

West On true line between Sec. 22 & 27, 2nd N. 123 E.
 40.84 Set the of Sec. post at average dist. from which
 a R. Oak 18 mi. dist. bear S 44 W 25 lbs. dist. of
 a do 14 " " " N 11 E 50 " "
 81.68 to Section Corner

North Between Sec. 21 & 22, 2nd N. 123 E.
 40.00 Set the of Sec. post, from which
 a Hickory 14 mi. dist. bear S 6 W 29 lbs. dist. of

T2 N. R3 E. 2^d. Mer. Indiana

a No 5 in. dia. beam N 2 E. 20 lks. dist
 80.00 Set a post. Cor. to Sec. 15, 16, 21 & 22, from which
 a W. Oak - in. dia. beam N 11 W 41 lks. dist. of
 a Hickory 10 " " " N 43 E 32 " "
 Land rolling timber Oak Hickory, middling
 farming land.

East On Rand^m. between Sec. 15 & 22, T2 N. R3 E.
 33.00 a Creek 60 lks. wide Cr. South
 40.00 Set temp^y. of Sec. post
 80.55 Intersected the N & S. line 130 lks. N. of post
 Land timber &c. same as on the last mile

West On true line between Sec. 15 & 22, T2 N. R3 E.
 40.27 Set the q^r. Sec. post at average dist. from which
 a W. Walnut 14 in. dia. beam N 56 W 17 lks. dist. of
 a W. Oak 15 " " " N 12 E 14 " "
 80.55 to Sec. Corner.

North Between Sec. 15 & 16, T2 N. R3 E
 40.00 Set the q^r. Sec. post, from which
 a W. Oak 20 in. dia. beam S 35 W 1 lks. dist. of
 a No 27 " " " N 4 E 51 " "
 46.00 a small brook Course E.
 52.50 a creek 30 lks. wide Course S. E.
 80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which
 a W. Oak 14 in. dia. beam S 32 E. 14 lks. dist. of
 a No 14 " " " N 40 W 54 " "
 Land and timber same as on the last mile

April 26th, 1807 Var. 7° 30' E

East On Rand^m. betwⁿ. Sec. 10 & 15, T2 N. R3 E.
 40.00 Set temp^y. of Sec. post

T2N. R3E. 2^d. Mer. Indiana

43.50 a Brook 15 lks. wide Course South
 78.93 Intersected the N & S. line 3 lks. S. of post.
 Land rolling, timber Oak & Hickory Creek
 bottom 10 chains wide, good farming land

West Between Secs. 10 & 15, T2N. R3E. on true line
 39.46 Set q. Sec. post at average dist. from which
 a W. Oak 9 in. dia. beam N87E 14 lks. dist. of
 a Mulberry 12 " " " N62W 15 " "
 78.93 to Sec. Corner.

North Between Secs. 9 & 10, T2N. R3E.
 40.00 Set the q. Sec. post, from which
 a W. Oak 24 in. dia. beam N88E 30 lks. dist. of
 a Ho 18 " " " N. W 29 " "
 80.00 Set a post Cor. to Secs. 3, 4, 9 & 10, from which
 a W. Oak 24 in. dia. beam S67E 130 lks. dist. of
 no other. Land rolling, timber Same
 the last 1/2 mile past Parry Soil 3^d. rate

East On Random betw. Secs. 3 & 10, T2N. R3E.
 32.50 a Good Spring Course South
 40.00 Set temp. q. Sec. post
 79.60 Intersected the N & S. line 48 lks. S. of post.
 Land rather rolling good farming land

West On true line, between Secs. 3 & 10, T2N. R3E.
 39.80 Set the q. Sec. post at average dist. from which
 a W. Oak 14 in. dia. beam N53E 20 lks. dist. of
 a W. Oak 12 " " " N60W 14 " "
 79.60 to Sec. Corner.

North Between Secs. 3 & 4, T2N. R3E.

S 2 N. R 2 E. 2^d. Mer. Indiana

40.00 Let the q. Sec. post, from which
 a W. Oak 12 in. dia. bear S 9 E 36 lks. dist. of
 a B. Oak 14 " " " N 11 W 30 " "
 72.82 Intersected the N. boundary 279 lks. west of
 the post, let a post Cor. to Sec. 3 & 4, from which
 a W. Oak 34 in. dia. bear N 74 E 170 lks. dist. of
 a B. Gum 18 " " " S 32 E 190 " "
 Land rolling part barren, poor farming
 land 3^d rate

North Between Sec. 32 & 33, April 24th 1807
 40.00 Let the q. Sec. post, from which
 a W. Oak 13 in. dia. bear N 14 E 6 lks. dist. of
 a Do 12 " " " N 23 W 28 " "
 80.00 Let a post Cor. Sec. 28, 29, 32 & 33, from which
 a B. Oak 14 in. dia. bear S 33 E 23 lks. dist. of
 a Do 14 " " " N. W 6 " "
 This mile middling level, timber Oak & Hickory.
 part Barren poor farming land

East On Rand^m. between Sec. 28 & 33, S 2 N. R 2 E.
 40.00 Let temp. q. Sec. post
 55.00 at Brook 15 lks. wide Cr. S. E.
 80.59 Intersected the N. & S. line 120 lks. S. of post
 Land timber &c. same as on the last mile

West On true line between Sec. 28 & 33, S 2 N. R 2 E.
 40.29 Let q. Sec. post at average dist. from which
 a C. Oak 24 in. dia. bear N 11 W 94 lks. dist. of
 a Do 18 " " " S 30 E 179 " "
 80.59 to Section Corner.

North Between Sec. 28 & 29, S 2 N. R 2 E.

T2N R3E 2nd Mer. Indiana

- 10.50 a Brook 8 lks. wide Ct. S. E.
 30.00 a small do- " " Ct. S. E.
 40.00 Let the q. Sec. post, from which
 a Sugar 13 in. dia. bear S 22 E 36 lks. dist. of
 a Beech 20 " " " N 35 W 25 " "
 70.00 a Brook 15 lks. wide Course East.
 80.00 Let a post Cor. to Sec. 20 & 21, 28 & 29, from which
 a R. Gum 12 in. dia. bear S 29 W 51 lks. dist. of
 a do 14 " " " N 35 E 40 " "
 This mile very flat land, low wet, timber
 Oak, Beech, Maple &c. poor farming land

- East Between Sec. 21 & 28, Random line N. 8. 30' E.
 40.00 Let temp. q. Sec. post
 72.00 a Brook 15 lks. wide Ct. S. E.
 80.98 Intersected the N & S. line 37 lks. S. of post
 Land rolling, timber Oak & Hickory (muddling
 farming land.

- West On true line between Sec. 21 & 28, T2N R3E.
 40.49 Let q. Sec. post at average dist. from which
 a Hickory 12 in. dia. bear East 31 lks. dist. of
 a do 10 " " " N 58 W 30 " "
 80.98 to Sec. Corner.

- North Between Sec. 20 & 21, T2N R3E.
 40.00 Let the q. Sec. post, from which
 a Poplar 12 in. dia. bear S 46 W 12 lks. dist. of
 a W. Oak 10 " " " N 48 E 8 " "
 80.00 Let a post Cor. to Sec. 16, 17, 20 & 21, from which
 a R. Gum 20 in. dia. bear S 19 W 14 lks. dist. of
 a W. Oak 27 " " " N 4 W 39 " "
 Land level, timber same, poor farming land.

T2N R3E 2^d. Mer. Indiana

East On Rand^m. betwⁿ. Sec^s. 16 & 21, T2N. R3E.
10.00 a small branch Cr. S. E.

40.00 let temp^y. q^r. Sec. post.

80.40 Intersected the N & S. line 3 lks. S. of post.
Land rolling, timber Oak & Hickory middling
good farming land.

West On true line between Sec^s. 16 & 21, T2N. R3E.
40.20 let the q^r. Sec. post at average dist. from which
a W. Oak 34 in. dia. bear N 20 W 6 lks. dist. of
a P. Oak 18 " " " S 23 E 51 " "
80.40 to Sec. Corner. April 27th. 1807

North Between Sec^s. 16 & 17, T2N. R3E.
40.00 let the q^r. Sec. post, from which
a P. Oak 11 in. dia. bear S 50 E 20 lks. dist. of
a do 15 " " " N 28 W 40 " "
80.00 let a post Cor. to Sec^s. 8, 9, 16 & 17, in a Prairie
no bearings tree - land 3^d rate, timber
Oak & Hickory

East On Random betwⁿ. Sec^s. 9 & 16, T2N. R3E.
40.00 let temp^y. q^r. Sec. post
60.00 a Creek 15 lks. wide Cr. South
80.61 Intersected the N & S. line 6 lks. S. of post
Land timber for same as on the last mile

West On true line betwⁿ. Sec^s. 9 & 16, T2N. R3E.
40.30 let q^r. Sec. post at average dist. from which
a W. Oak 27 in. dia. bear N 17 E 90 lks. dist. of
a do 18 " " " N 32 W 73 " "
80.61 to Sec. Corner.

T2N R3E 2^d Mer. Indiana

North Between Secs. 8 & 9, T2N R3E.

40.00 Set the q. Sec. post, from which

a S. Oak 13 in. dia. bran S 71° 39' W 39 lks. dist. of

a Do 13 " " " N 10° E 7 " "

75.64 a W. Oak 18 " "

80.00 Set a post Cor. to Secs. 4, 5, 8 & 9, from which

a P. Gum 13 in. dia. bran West 290 lks. dist. of

no other. This (mile) Part Barren 3^d rate farming land.

East On Rand^m. between Secs. 4 & 9, T2N R3E.

40.00 Set temp^y. q. Sec. post in Open barren
and no timber

79.96 Intersected the N & S line 58 lks. S. of post
This (mile) Open Barren 3^d rate

West On true line between Secs. 4 & 9, T2N R3E.

Note - The above Sec. line was never corrected.

North Between Secs. 4 & 5, T2N R3E.

40.00 Set the q. Sec. post, from which

a W. Oak 30 in. dia. bran S 61° 11' W 59 lks. dist. of

a Poplar 10 " " " N 68° E 19 " "

75.25 Intersected the N. boundary 39 1/4 lks. N. of post.

Set a post Cor. to Secs. 3 & 4, from which

a W. Oak 20 in. dia. bran S 34° E 14 lks. dist. of

a Dogwood 8 " " " N 30° W 22 " "

Sand timber &c. same, poor farming land

April 25th 1857.

North Between Secs. 31 & 32, T2N R3E.

40.00 Set the q. Sec. post, from which

a Hickory 18 in. dia. bran S 9° 11' W 23 lks. dist. of

cont.

T2N R3E. 2nd Mer. Indiana

a P. Gum 8 in. dia. bear N11W 33 lks. dist.

80.00 Set a post Cor. to Sec. 29 & 30, 31 & 32, from which
a P. Oak 24 in. dia. bear S56W 26 lks. dist. &
a Hickory 15 " " " N62E 41 " "

The first 30 chain Open bearing - the residue of
this mile rolling land, rich soil and good
farming land, timber Oak & Hickory some Spruce

Comp

East Outland^m betwⁿ. Sec. 29 & 32, T2N. R3E. var. 8.00.

5.00 a small branch Course S.E.

40.00 Set temp. q. Sec. post

80.73 Intersected the N & S. line 120 lks. S. of the post
Land level timber same poor farming land low^{er}

West Out true line betwⁿ. Sec. 29 & 32, T2N. R3E.

40.36 Set q. Sec. post at average dist. from which
a P. Oak 20 in. dia. bear N70E 74 lks. dist. &
a hlo 24 " " " S69W 107 " "

80.73 to Sec. Corner.

West Between Sec. 30 & 31, T2N. R3E. - var 8.30.

40.00 Set the q. Sec. post, from which

a W. Oak 24 in. dia. bear N75E 16 lks. dist. &
a Hickory 14 " " " S82W 44 " "

74.65 Intersected the W. boundary 10 lks. N. of the post

Set a post Cor. to Sec. 30 & 31, from which
a P. Oak 4 in. dia. bear N24W 12 lks. dist. &
a Poplar 5 " " " S15E 12 " "

Land rolling timber same, thick Dogwood under-
growth, poor farming land.

North Between Sec. 29 & 30, T2N. R3E.

40.00 Set the q. Sec. post, from which

T2N R3E. 2^d Mer. Indiana

a W. Oak 18 in. dia. bray N5 E 25 lks. dist. of
 a do 8 " " " S2 E 37 " "
 80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which
 a Poplar 10 in. dia. bray S84 W 53 lks. dist. of
 a W. Oak 14 " " " N19 E 173 " "
 This mile level, timber same, small pond holes
 poor farming land

East On Rand^m. between Sec. 29 & 20, T2N. R3E.
 40.00 Set temp^y. of Sec. post
 69.00 a Brook 12 lks. wide Course S. E.
 72.00 a Brook 6 " " " S. E.
 80.50 Intersected the N of S. line 18 lks. S. of post.
 Land and timber same.

West On true line between Sec. 20 & 29, T2N. R3E.
 40.25 Set the of Sec. post at average dist. from which
 a W. Oak 18 in. dia. bray S54 W 2 lks. dist. of
 a Beech 10 " " " N57 E 35 lks. dist.
 80.50 to Sec. Corner

West Between Sec. 19 & 30, T2N. R3E.
 40.00 Set the of Sec. post, from which
 a W. Oak 34 in. dia. bray N55 W 9 lks. dist. of
 a Hickory 15 " " " East 20 " "
 74.13 Intersected the W. boundary 66 lks. S. of post
 Set a post Cor. to Sec. 19 & 30, T2N. R3E. from which
 a Hickory 14 in. dia. bray S43 W 33 lks. dist. of
 a W. Oak 14 " " " N51 E 68 " "
 This mile past rolling, & part level some Oak
 & Hickory timber, very brushy, poor farming land.

North Between Sec. 19 & 20, T2N. R3E.

T2N. R3E. 2^d. Mer. Indiana

141

20.34 a W. Oak 27 in. dia.

40.00 Set the q. Sec. post, from which
a W. Oak 18 in. dia. bear S 25 E 15 lks. dist. of
a Do 15 " " " N 22 W 16 " "

80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
a Hickory 10 in. dia. bear S 55 W 19 lks. dist. of
a W. Oak 20 " " " N 57 E 67 " "

Land level, timber same, poor farming land
very brushy.

East On Land^m betw. Sec. 17 & 20, T2N. R3E.

37.00 a small brook Course S. E.

40.00 Set temp. q. Sec. post

73.50 a small brook Course S. E.

79.90 Intersected the N. S. line 4 lks. S. of the post
Land timber &c. same as on the last mile

West On true line between Sec. 17 & 20, T2N. R3E.

39.95 Set q. Sec. post at average dist. from which
a Hickory 12 in. dia. bear S 45 W 18 lks. dist. of
a W. Oak 6 " " " N 37 E 31 " "

79.90 to Sec. Corner April 28th. 1807

West 1 Between Sec. 18 & 19, T2N. R3E.

40.00 Set the q. Sec. post, from which
a W. Oak 27 in. dia. bear N 17 W 57 lks. dist. of
a Do 24 " " " N 29 W 29 " "

74.71 Intersected the N. boundary 93 lks. N. of post
Set a post Cor. to Sec. 18 & 19, from which
a W. Oak 12 in. dia. bear S 33 E 33 lks. dist. of
a W. Ash 8 " " " N 51 W 17 " "

Land middling level, timber Oak & Hick. poor
farming land.

T. 2 N. R. 3 E. 2^d Mer. Indiana

North Between Sec. 17 & 18, T. 2 N. R. 3 E.

40.00 Set q. Sec. post from which
a W. Oak 3 in. dia. bears S 11 E 62 lks. dist &
a Hickory 12 " " " N 4 W 35 " "

80.00 Set a post Cor. to Sec. 7, 8, 17 & 18 T. 2 N. R. 3 E. from which
a W. Oak 27 in. dia. bears S 45 E 34 lks. dist &
a Hickory 14 " " " N 24 W 15 " "
Land level timber Same middling farming land

East. On brandon line betw. Sec. 8 & 17 T. 2 N. R. 3 E.

40.00 Set the Temp. q. Sec. post

79.30 Intersected the N. & S. line 20 lks. S. of post
Land and timber same

West On true line Between Sec. 8 & 17 T. 2 N. R. 3 E

39.65 Set the q. Sec. post at average dist. from which
a Hickory 24 in. dia. bears S 57 E 40 lks. dist &
a Dogwood 10 " " " N 29 W 11 " "

79.30 to Sec. Corner

West Between Sec. 7 & 18 T. 2 N. R. 3 E

40.00 Set q. Sec. post from which
a W. Oak 20 in. dia. bears N 15 W 17 lks. dist &
a No 18 " " " S 49 E 2 " "

74.95 Intersected the N. boundary 22 lks. N. of the post
Set a post Cor. to Sec. 7 & 18, from which
a W. Oak 25 in. dia. bears N 78 W 31 lks. dist &
an Elm 10 " " " S 86 E 9 " "
Land level timber Same poor farming land Open

North Between Sec. 7 & 8 T. 2 N. R. 3 E

40.00 Set q. Sec. post from which
a B. Oak 12 in. dia. bears S 9 W 51 lks. dist &
a No 12 " " " S 67 E 23 " "

T2 N. R3 E. 2^d Mer. Indiana

80.00 Set a post Cor. to Secs. 5, 6, 7 & 8. from which
 a W. Oak 18 in. dia. bears S43 E 42 lks dist &
 a B. Gum 11 " " " N27 W 59 " "
 Land middling level timber. Same the last 1/2 mile
 Small groves of timber poor farming land

East On Random between Secs. 5 & 8 T2 N. R. 3 E.
 5.00 a Small Brook Course N.W.
 40.00 Set the temp. q. Sec. post
 78.74 Intersected the N. & S. line 68 lks. South of post
 Land and timber Same

West On true line between 5 & 8 T2 N. R. 3 E
 39.52 Set the q. Sec. post at average dist from which
 a Dogwood 8 in. dia. bears N37 W 9 lks. dist &
 a W. Oak 14 " " " S7 E 36 " "
 78.74 to Sec. Corner

West Between Secs. 6 & 7 T2 N. R. 3 E.
 40.00 Set q. Sec. post from which
 a B. Oak 18 in. dia. bears N69 E 16 lks. dist
 a Do 20 " " " S87 W 56 " "
 74.33 Intersected the N. & S. line 8 lks. S. of post from which
 a B. Oak 14 in. dia. bears S75 E 33 lks dist &
 a Hickory 27 " " " S86 W 53 " "
 Land and timber Same

North Between Secs. 5 & 6 T2 N. R. 3 E.
 40.00 Set the q. Sec. post from which
 a B. 20 in. dia. bears S1 E 45 lks. dist &
 a Do 15 " " " N5 E 72 " "
 79.40 Intersected N. boundary 5.15 lks. N. of post, from which
 a L. Oak 7 in. dia. bears S20 E 14 lks. dist &

T2N R3E, 2nd Mer. Indiana

a L. Oak 10 in dia. bears N55 E 20 lks dist.
Land rather broken timber same poor farming
land.

Surveyed in 1807, by William Harris, L.S.

Comp.

I Certify that the foregoing transcript of field notes of
Township N.^o 2 N. Range N.^o 3 E. 2nd Mer. Indiana
has been Comp.^d with the original in this office and
found to be correct.

Surveyor General's Office
Cincinnati, April 10th 1841

E. J. Rains

Sur. Genl.